

**1. Product and Company Identification**

**Material name**                                **MAGNESIUM ALUMINATE SPINELS**  
**Revision date**                                01-26-2012  
**Version #**                                        01  
**CAS #**    12068-51-8  
**Product use**                                    Refractory.  
**Synonym(s)**                                    MAE-10, MAE-26, MAE-28 and MAE-32  
**Manufacturer/Supplier**                    ELFUSA GERAL DE ELETROFUSÃO LTDA  
    JULIO MICHELAZZO, 501 - SÃO JOÃO DA BOA VISTA - SP -BRAZIL  
    ZIP CODE 13872-900  
    SPAIN  
    qualidade@elfusa.com.br  
    Contact Person: RUBEN SINATO

**Telephone**                                    (+5519) 3634-2300

**Emergency**                                    1-866-519-4752  
    1-760-476-3962  
    Access Code: 333691

**2. Hazards Identification**

**Physical state**                                Solid.  
**Appearance**                                Beige or white grain and powder.  
**Emergency overview**                        Low hazard under normal conditions.  
**OSHA regulatory status**                    This product is not hazardous according to OSHA 29CFR 1910.1200.  
**Potential health effects**  
    **Routes of exposure**                    Inhalation. Ingestion. Skin contact. Eye contact.  
    **Eyes**                                        Dust may irritate the eyes.  
    **Skin**                                         Dust may irritate skin.  
    **Inhalation**                                Dust may irritate the respiratory system.  
    **Ingestion**                                Ingestion may cause irritation and malaise.  
**Target organs**                                Eyes. Skin. Reproductive system.  
**Chronic effects**                                Prolonged and repeated overexposure to dust can lead to pneumoconiosis.  
**Signs and symptoms**                        Irritation of eyes and mucous membranes. Irritation of nose and throat.  
**Potential environmental effects**        Ecological injuries are not known or expected under normal use.

**3. Composition / Information on Ingredients**

<b>Components</b>	<b>CAS #</b>	<b>Percent</b>
Magnesium aluminum Oxide	12068-51-8	≥ 80.0
Impurities: Other Oxides Total	N/A	≤ 1

  

<b>Constituents</b>	<b>CAS #</b>	<b>Concentration (%)</b>
Magnesium oxide	1309-48-4	8.5 - 33
Aluminum oxide	1344-28-1	64.5 - 90.5

**Composition comments**                    All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. For more detailed chemical composition, refer to the certificate of analysis.

## 4. First Aid Measures

### First aid procedures

<b>Eye contact</b>	Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if irritation develops or persists.
<b>Skin contact</b>	Wash with soap and water. Get medical attention if irritation develops or persists.
<b>Inhalation</b>	Move to fresh air. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Immediately rinse mouth and drink plenty of water. Get medical attention if irritation develops and persists.

### Notes to physician

Treat symptomatically.

### General advice

Get medical attention if any discomfort develops.

## 5. Fire Fighting Measures

### Flammable properties

The product is not flammable.

### Extinguishing media

**Suitable extinguishing media** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media** No restrictions known.

### Protection of firefighters

**Specific hazards arising from the chemical** None known.

**Protective equipment and precautions for firefighters** Self-contained breathing apparatus, operated in positive pressure mode and full protective clothing must be worn in case of fire.

### Fire fighting equipment/instructions

Move containers from fire area if you can do it without risk.

## 6. Accidental Release Measures

### Personal precautions

Ensure adequate ventilation. Avoid inhalation of dust and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet.

### Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so.

### Methods for cleaning up

Recover and recycle, if practical. Sweep up or vacuum up spillage and collect in suitable container for disposal. Do not vacuum clean unless vacuum cleaners are equipped with HEPA filter.

## 7. Handling and Storage

### Handling

Provide adequate ventilation. Use work methods which minimize dust production. Avoid inhalation of dust and contact with skin and eyes. Wear appropriate personal protective equipment. Do not add wet alumina to electrolysis cells. Observe good industrial hygiene practices.

### Storage

Store in a dry place.

## 8. Exposure Controls / Personal Protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

Material	Type	Value	Form
Magnesium aluminum Oxide (12068-51-8)	TWA	1 mg/m3	Respirable fraction.

Constituents	Type	Value	Form
Aluminum oxide (1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Magnesium oxide (1309-48-4)	TWA	10 mg/m3	Inhalable fraction.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Constituents	Type	Value	Form
Aluminum oxide (1344-28-1)	PEL	5 mg/m3	Respirable fraction.
Magnesium oxide (1309-48-4)	PEL	15 mg/m3	Total dust.
		15 mg/m3	Total particulate.

**Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)**

Material	Type	Value	
Magnesium aluminum Oxide (12068-51-8)	TWA	2 mg/m3	
Constituents	Type	Value	Form
Aluminum oxide (1344-28-1)	TWA	10 mg/m3	
Magnesium oxide (1309-48-4)	TWA	10 mg/m3	Fume.

**Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)**

Material	Type	Value	Form
Magnesium aluminum Oxide (12068-51-8)	TWA	1 mg/m3	Respirable.
Constituents	Type	Value	Form
Aluminum oxide (1344-28-1)	TWA	1 mg/m3	Respirable.
Magnesium oxide (1309-48-4)	STEL	10 mg/m3	Respirable dust and/or fume.
	TWA	3 mg/m3	Respirable dust and/or fume.
		10 mg/m3	Inhalable fume.

**Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)**

Material	Type	Value	Form
Magnesium aluminum Oxide (12068-51-8)	TWA	1 mg/m3	Respirable fraction.
Constituents	Type	Value	Form
Aluminum oxide (1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Magnesium oxide (1309-48-4)	TWA	10 mg/m3	Inhalable fraction.

**Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)**

Material	Type	Value	
Magnesium aluminum Oxide (12068-51-8)	TWA	2 mg/m3	
Constituents	Type	Value	Form
Aluminum oxide (1344-28-1)	TWA	10 mg/m3	Total dust.
Magnesium oxide (1309-48-4)	TWA	10 mg/m3	Fume.

**Mexico. Occupational Exposure Limit Values**

Material	Type	Value	
Magnesium aluminum Oxide (12068-51-8)	TWA	2 mg/m3	
Constituents	Type	Value	Form
Aluminum oxide (1344-28-1)	TWA	10 mg/m3	
Magnesium oxide (1309-48-4)	TWA	10 mg/m3	Fume.

**Exposure guidelines**

No exposure standards allocated.

**Engineering controls**

Provide sufficient ventilation for operations causing dust formation. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn.

**Personal protective equipment****Eye / face protection**

Wear goggles/face shield.

**Skin protection**

Wear suitable gloves. Suitable gloves can be recommended by the glove supplier. Wear suitable protective clothing.

**Respiratory protection**

Seek advice from local supervisor.

**General hygiene considerations**

Wash hands after handling. Routinely wash work clothing and protective equipment to remove contaminants. Handle in accordance with good industrial hygiene and safety practice. Follow up on any medical surveillance requirements.

**9. Physical & Chemical Properties**

<b>Appearance</b>	Beige or white grain and powder.
<b>Color</b>	Beige or white.
<b>Odor</b>	Odorless.
<b>Odor threshold</b>	Not available.
<b>Physical state</b>	Solid.
<b>Form</b>	Powder and grains.
<b>pH</b>	6 - 9.5
<b>Melting point</b>	3875 °F (2135 °C)
<b>Freezing point</b>	Not available.
<b>Boiling point</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not applicable.
<b>Flammability limits in air, upper, % by volume</b>	Not available.
<b>Flammability limits in air, lower, % by volume</b>	Not available.
<b>Vapor pressure</b>	Not applicable.
<b>Vapor density</b>	Not applicable.
<b>Specific gravity</b>	3 - 3.4
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not applicable.
<b>Bulk density</b>	Not applicable.

**10. Chemical Stability & Reactivity Information**

<b>Chemical stability</b>	Stable at normal conditions.
<b>Conditions to avoid</b>	Moisture. Contact with incompatible materials.
<b>Incompatible materials</b>	None known.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.
<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur. Hazardous reactions do not occur.

**11. Toxicological Information****Toxicological data**

<b>Product</b>	<b>Test Results</b>
Magnesium aluminum Oxide (12068-51-8)	Acute Oral LD50 Rat: > 5000 mg/kg
<b>Acute effects</b>	Dust may cause eye, skin and respiratory tract irritation.
<b>Local effects</b>	May cause irritation through mechanical abrasion.
<b>Sensitization</b>	No sensitizing effects known.
<b>Chronic effects</b>	Prolonged and repeated overexposure to dust can lead to pneumoconiosis.
<b>Carcinogenicity</b>	Test data conclusive but not sufficient for classification.
<b>ACGIH Carcinogens</b>	
Aluminum oxide (CAS 1344-28-1)	A4 Not classifiable as a human carcinogen.

Magnesium aluminum Oxide (CAS 12068-51-8)  
Magnesium oxide (CAS 1309-48-4)

A4 Not classifiable as a human carcinogen.  
A4 Not classifiable as a human carcinogen.

<b>Mutagenicity</b>	Test data conclusive but not sufficient for classification.
<b>Reproductive effects</b>	Test data conclusive but not sufficient for classification.
<b>Symptoms and target organs</b>	Irritation of eyes and mucous membranes. Irritation of nose and throat.
<b>Further information</b>	Prolonged and repeated overexposure to dust can lead to pneumoconiosis.

## 12. Ecological Information

<b>Ecotoxicity</b>	This product has no known eco-toxicological effects. The product is not expected to be hazardous to the environment.
<b>Environmental effects</b>	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
<b>Aquatic toxicity</b>	Not expected to be harmful to aquatic organisms.
<b>Persistence and degradability</b>	The product is not biodegradable.
<b>Bioaccumulation / Accumulation</b>	The product is not bioaccumulating.
<b>Partition coefficient (n-octanol/water)</b>	Not applicable.
<b>Mobility in environmental media</b>	The product is insoluble in water. Aluminum oxide is not mobile in the environment, unless it comes into contact with an aqueous environment with a pH below 5.5 or above 8.5.

## 13. Disposal Considerations

<b>Disposal instructions</b>	Dispose in accordance with all applicable regulations.
<b>Waste from residues / unused products</b>	Recover and recycle, if practical. Dispose of in accordance with local regulations.
<b>Contaminated packaging</b>	Offer rinsed packaging material to local recycling facilities. Dispose of in accordance with local regulations.

## 14. Transport Information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

### TDG

Not regulated as dangerous goods.

## 15. Regulatory Information

**US federal regulations** This product is not hazardous according to OSHA 29CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.

### TSCA Section 12(b) Export Notification(40 CFR 707, Subpt. D)

Not regulated.

### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Aluminum oxide (CAS 1344-28-1) 1.0 %

### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Aluminum oxide (CAS 1344-28-1) Listed.

### CERCLA (Superfund) reportable quantity (lbs) (40 CFR 302.4)

None

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

<b>Section 302 extremely hazardous substance (40 CFR 355, Appendix A)</b>	No
<b>Section 311/312 (40 CFR 370)</b>	No
<b>Drug Enforcement Administration (DEA) (21 CFR 1308.11-15)</b>	Not controlled
<b>WHMIS status</b>	Non-controlled

#### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**State regulations** This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

#### US - California Hazardous Substances (Director's): Listed substance

Aluminum oxide (CAS 1344-28-1)	Listed.
Magnesium aluminum Oxide (CAS 12068-51-8)	Listed.
Magnesium oxide (CAS 1309-48-4)	Listed.

#### US - Massachusetts RTK - Substance: Listed substance

Aluminum oxide (CAS 1344-28-1)	Listed.
Magnesium oxide (CAS 1309-48-4)	Listed.

#### US - New Jersey Community RTK (EHS Survey): Reportable threshold

Aluminum oxide (CAS 1344-28-1)	500 LBS
--------------------------------	---------

#### US - New Jersey RTK - Substances: Listed substance

Aluminum oxide (CAS 1344-28-1)	Listed.
Magnesium oxide (CAS 1309-48-4)	Listed.

#### US - Pennsylvania RTK - Hazardous Substances: Listed substance

Aluminum oxide (CAS 1344-28-1)	Listed.
Magnesium aluminum Oxide (CAS 12068-51-8)	Listed.
Magnesium oxide (CAS 1309-48-4)	Listed.

## 16. Other Information

**Recommended restrictions** -

**HMIS® ratings**

Health: 1  
Flammability: 0  
Physical hazard: 0

**NFPA ratings**

Health: 1  
Flammability: 0  
Instability: 0

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available.

**Issue date**

01-25-2012